Molded Case Circuit Breakers Record Plus® FB 100

3-Pole Record Plus® FB 100 Breakers IC @ 600/347 Vac

lated Current (A)	35kA Product No.	List Price GO-135H	65kA Product No.	List Price GO-135H	100kA Product No.	List Price GO-135H	150kA Product No.	List Price GO-135H	Connection
	FBV36TE015R	\$769.00	FBN36TE015R	\$850.00	FBH36TE015R	\$1286.00	FBL36TE015R	\$1742.00	No Lugs
	FBV36TE015R2	\$778.00	FBN36TE015R2	\$859.00	FBH36TE015R2	\$1295.00	FBL36TE015R2	\$1751.00	Load Lugs Only
-	FBV36TE015RV	\$787.00	FBN36TE015RV	\$868.00	FBH36TE015RV	\$1304.00	FBL36TE015RV	\$1760.00	Load Lugs and
						•		•	Panel Connection
	FBV36TE020R	\$769.00	FBN36TE020R	\$850.00	FBH36TE020R	\$1286.00	FBL36TE020R	\$1742.00	No Lugs
_	FBV36TE020R2	\$778.00	FBN36TE020R2	\$859.00	FBH36TE020R2	\$1295.00	FBL36TE020R2	\$1751.00	Load Lugs Only
0 –	FBV36TE020RV	\$787.00	FBN36TE020RV	\$868.00	FBH36TE020RV	\$1304.00	FBL36TE020RV	\$1760.00	Load Lugs and
									Panel Connection
_	FBV36TE025R	\$769.00	FBN36TE025R	\$850.00	FBH36TE025R	\$1286.00	FBL36TE025R	\$1742.00	No Lugs
5 –	FBV36TE025R2	\$778.00	FBN36TE025R2	\$859.00	FBH36TE025R2	\$1295.00	FBL36TE025R2	\$1751.00	Load Lugs Only
.5	FBV36TE025RV	\$787.00	FBN36TE025RV	\$868.00	FBH36TE025RV	\$1304.00	FBL36TE025RV	\$1760.00	Load Lugs and
									Panel Connection
_	FBV36TE030R	\$769.00	FBN36TE030R	\$850.00	FBH36TE030R	\$1286.00	FBL36TE030R	\$1742.00	No Lugs
0 –	FBV36TE030R2	\$778.00	FBN36TE030R2	\$859.00	FBH36TE030R2	\$1295.00	FBL36TE030R2	\$1751.00	Load Lugs Only
	FBV36TE030RV	\$787.00	FBN36TE030RV	\$868.00	FBH36TE030RV	\$1304.00	FBL36TE030RV	\$1760.00	Load Lugs and
									Panel Connection
_	FBV36TE035R	\$769.00	FBN36TE035R	\$850.00	FBH36TE035R	\$1286.00	FBL36TE035R	\$1742.00	No Lugs
5 –	FBV36TE035R2	\$778.00	FBN36TE035R2	\$859.00	FBH36TE035R2	\$1295.00	FBL36TE035R2	\$1751.00	Load Lugs Only
5	FBV36TE035RV	\$787.00	FBN36TE035RV	\$868.00	FBH36TE035RV	\$1304.00	FBL36TE035RV	\$1760.00	Load Lugs and
									Panel Connection
_	FBV36TE040R	\$769.00	FBN36TE040R	\$850.00	FBH36TE040R	\$1286.00	FBL36TE040R	\$1742.00	No Lugs
0 -	FBV36TE040R2	\$778.00	FBN36TE040R2	\$859.00	FBH36TE040R2	\$1295.00	FBL36TE040R2	\$1751.00	Load Lugs Only
	FBV36TE040RV	\$787.00	FBN36TE040RV	\$868.00	FBH36TE040RV	\$1304.00	FBL36TE040RV	\$1760.00	Load Lugs and
									Panel Connection
-	FBV36TE045R	\$769.00	FBN36TE045R	\$850.00	FBH36TE045R	\$1286.00	FBL36TE045R	\$1742.00	No Lugs
5 –	FBV36TE045R2	\$778.00	FBN36TE045R2	\$859.00	FBH36TE045R2	\$1295.00	FBL36TE045R2	\$1751.00	Load Lugs Only
	FBV36TE045RV	\$787.00	FBN36TE045RV	\$868.00	FBH36TE045RV	\$1304.00	FBL36TE045RV	\$1760.00	Load Lugs and
									Panel Connection
-	FBV36TE050R	\$769.00	FBN36TE050R	\$850.00	FBH36TE050R	\$1286.00	FBL36TE050R	\$1742.00	No Lugs
- 00	FBV36TE050R2	\$778.00	FBN36TE050R2	\$859.00	FBH36TE050R2	\$1295.00	FBL36TE050R2	\$1751.00	Load Lugs Only
	FBV36TE050RV	\$787.00	FBN36TE050RV	\$868.00	FBH36TE050RV	\$1304.00	FBL36TE050RV	\$1760.00	Load Lugs and
									Panel Connection
-	FBV36TE060R	\$769.00	FBN36TE060R	\$850.00	FBH36TE060R	\$1286.00	FBL36TE060R	\$1742.00	No Lugs
io –	FBV36TE060R2	\$778.00	FBN36TE060R2	\$859.00	FBH36TE060R2	\$1295.00	FBL36TE060R2	\$1751.00	Load Lugs Only
	FBV36TE060RV	\$787.00	FBN36TE060RV	\$868.00	FBH36TE060RV	\$1304.00	FBL36TE060RV	\$1760.00	Load Lugs and
	FBV36TE070R	\$884.00	FBN36TE070R	\$992.00	FBH36TE070R	\$1579.00	FBL36TE070R	\$2129.00	Panel Connection No Lugs
-	FBV36TE070R2	\$893.00		\$992.00		\$1579.00			Load Lugs Only
'0 —	FBV36TE070R2	\$902.00	FBN36TE070R2 FBN36TE070RV	\$1001.00	FBH36TE070R2 FBH36TE070RV	\$1588.00	FBL36TE070R2 FBL36TE070RV	\$2138.00 \$2147.00	Load Lugs Only
	FBV361E070RV	\$902.00	FBIN301EU/URV	\$1010.00	FBH301E070RV	\$1231.00	FBL301EU/UKV	\$2147.00	Panel Connection
	FBV36TE080R	\$884.00	FBN36TE080R	\$992.00	FBH36TE080R	\$1579.00	FBL36TE080R	\$2129.00	No Lugs
-	FBV36TE080R2	\$893.00	FBN36TE080R2	\$992.00	FBH36TE080R2	\$1579.00	FBL36TE080R2	\$2129.00	Load Lugs Only
- 00	FBV36TE080R2	\$902.00	FBN36TE080RV	\$1001.00	FBH36TE080RZ	\$1588.00	FBL36TE080RV	\$2138.00	Load Lugs Only
	DVJUIEUOUKV	\$502.0U	IDIVJUIEUOUKV	\$1010.00	IDIIDUEUOURV	φ1357.00	IDLJUIEUOURV	φ 21 47.00	Panel Connection
	FBV36TE090R	\$884.00	FBN36TE090R	\$992.00	FBH36TE090R	\$1579.00	FBL36TE090R	\$2129.00	No Lugs
-	FBV36TE090R2	\$893.00	FBN36TE090R2	\$1001.00	FBH36TE090R2	\$1579.00	FBL36TE090R2	\$2129.00	Load Lugs Only
0 -	FBV36TE090R2	\$902.00	FBN36TE090RV	\$1010.00	FBH36TE090RV	\$1588.00	FBL36TE090RZ	\$2138.00	Load Lugs only
	1 54 501 2050 10	<i>\$</i> 502.00	TENSOLESSON	<i>\$</i> 1010.00	1 BHS012030KV	<i>\$1331.00</i>	I DEJOILOJORV	¥2141.00	Panel Connection
	FBV36TE100R	\$884.00	FBN36TE100R	\$992.00	FBH36TE100R	\$1579.00	FBL36TE100R	\$2129.00	No Lugs
	FBV36TE100R2	\$893.00	FBN36TE100R2	\$1001.00	FBH36TE100R2	\$1588.00	FBL36TE100R2	\$2129.00	Load Lugs Only
.00 –	FBV36TE100RV	\$902.00	FBN36TE100RV	\$1010.00	FBH36TE100RV	\$1597.00	FBL36TE100RV	\$2138.00	Load Lugs and
	1 PA201FT00U/A	4J02.00	I DIADOLETOOKA	\$1010.00	I DI IDU LETOUKV	#1001.00	I DESCIETOONV	\$CI41.00	Louu Luga Ullu


3-80

Molded Case Circuit Breakers Industrial Circuit Breakers Quick Reference Guide

15-600A Record Plus® Circuit Breakers

Section 3

The interruption ratings and voltages shown in the table are maximum ratings. A circuit breaker of the type given in the left-hand column may be applied at the given circuit voltage in any electrical distribution system where the available fault current at the load terminals of the breaker does not exceed the value in the table. That circuit breaker type may also be applied at intermediate values of circuit voltage provided the available fault current at the load terminals of the breaker the breaker does not exceed the value in the table.





FG 600

Ratings

FC 100 Ar	np Frame;	Current Li	miting (UL	File No. E-	11592)													
Circuit				mum tage			nterruptin al Amperes	5 5		I	EC Listed I Icu, Ampe	•	5 5	,				Approx. Ship
Breaker	Ampere	No.	Rat	ting		Vac		Vd	с		Vac		Ve	dc	Dime	ensions in.	(mm.)	Wt./Std.
Туре	Rating	Poles	AC	DC	240	480	600/347	250 (2p)	500 (3p)	220-240	400-415	500	250 (2p)	500 (3p)	н	W	D	Pack
FCS	15-100	2, 3	600	500	42	25	18	22	30	36	22	14	22	30	6.4 (162.6)	3.0 (76.2)	3.2 (81.3)	2.5 lb/1
FCV	15-100	2, 3	600	500	65	35	22	25	35	50	30	18	25	35	6.4 (162.6)	3.0 (76.2)	3.2 (81.3)	2.5 lb/1
FCN	15-100	2, 3	600	500	150	65	25	30	42	85	50	22	30	42	6.4 (162.6)	3.0 (76.2)	3.2 (81.3)	2.5 lb/1
FCH	15-100	2, 3	600	500	200	100	35	42	65	100	80	36	42	65	6.4 (162.6)	3.0 (76.2)	3.2 (81.3)	2.5 lb/1
FCL	15-100	2, 3	600	500	200	150	42	65	80	200	150	50	65	80	6.4 (162.6)	3.0 (76.2)	3.2 (81.3)	2.5 lb/1

FB 100 Amp Frame; Current Limiting (UL File No. E-11592)

Circuit Breaker	Ampere	No.	Volt	mum age ing			ed Interrupting Ra trical Amperes (in Vac	0		Dii	mensions in. (n	nm.)	Approx. Ship Wt./Std.
Туре	Rating	Poles	AC	DC	240	277	347	480	600/347	н	W	D	Pack
		1	600/347	_	35	35	22	-	_	6.45 (163.8)	1.36 (34.5)	3.28 (83.3)	1.1 lb/1
FBV	15-100	2	600/347	-	65	_	_	35	22	6.45 (163.8)	2.74 (69.6)	3.28 (83.3)	2.6 lb/1
		3	600/347	-	65	_	_	35	22	6.45 (163.8)	4.11 (104.4)	3.28 (83.3)	3.3 lb/1
		1	600/347	_	65	65	25	-	-	6.45 (163.8)	1.36 (34.5)	3.28 (83.3)	1.1 lb/1
FBN	15-100	2	600/347	-	150	-	-	65	25	6.45 (163.8)	2.74 (69.6)	3.28 (83.3)	2.6 lb/1
		3	600/347	-	150	-	-	65	25	6.45 (163.8)	4.11 (104.4)	3.28 (83.3)	3.3 lb/1
		1	600/347	-	100	100	35	-	_	6.45 (163.8)	1.36 (34.5)	3.28 (83.3)	1.1 lb/1
FBH	15-100	2	600/347	-	200	-	-	100	35	6.45 (163.8)	2.74 (69.6)	3.28 (83.3)	2.6 lb/1
		3	600/347	-	200	-	-	100	35	6.45 (163.8)	4.11 (104.4)	3.28 (83.3)	3.3 lb/1
		1	600/347	-	100	100	42	-	-	6.45 (163.8)	1.36 (34.5)	3.28 (83.3)	1.1 lb/1
FBL	15-100	2	600/347	-	200	-	-	150	42	6.45 (163.8)	2.74 (69.6)	3.28 (83.3)	2.6 lb/1
		3	600/347	-	200	-	-	150	42	6.45 (163.8)	4.11 (104.4)	3.28 (83.3)	3.3 lb/1

FG 600 Amp Frame; Current Limiting (UL File No. E-11592)

Circuit Breaker			Volt	mum tage ting		d Interrupting F rical Amperes (Vac	5		2-2 Interrupting nperes (in Thou Vac	5.		Dimensions (in	.)	Approx. Ship Wt./Std.
Туре	Rating	Poles	AC	DC	240	480	600	240	400-415	690	н	W	D	Pack
FGN	250-600	2	600	_	150	65	25	_	_	_	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
FGIN	250-600	3	600	-	150	65	25	85	50	10	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
FGH	250-600	2	600	_	200	100	35	_	_	_	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
1011	230-000	3	600	_	200	100	35	100	80	22	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
FGI	250-600	2	600	-	200	150	42	_	-	-	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
IGL	230-000	3	600	-	200	150	42	200	150	40	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
FGP	250-600	2	600	_	200	200	65	_	_	-	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1
1 GF	230-000	3	600	_	200	200	65	_	-	-	10.31 (262.0)	5.46 (138.7)	4.53 (115.0)	22 lb/1

3-10

Molded Case Circuit Breakers Record Plus® FB 100

Section 3



Breaker Frame Rating
Product Description
Standards & Ratings
Interrupting Ratings
Lug Data & Torque Info
Product Number

Push to Trip

Reference Publications

Available for download from www.geelectrico	al com/publibrary	
•	ii.com/publibrury	
FB Breaker		
Installation Instructions	DEH-41073	
Fact sheet	DET-406	
FB Breaker Accessories		
Bell Alarm & Aux. Switch	DEH-40324	
Shunt Trip & UVR	DEH-40363	
Padlock Device	DEH-40521	
Lug Kits	DEH-40532	
Panelboards		
A-Series® AD Plus Catalog/Selection Guide	DEP-134	
A-Series® AD Plus Fact Sheet	DET-397	
Spectra® Power Panel - Plug-in Kits	DEH-41123	
Spectra® Power Panel - Bolt-on Kits	DEH-41124	
Spectra [®] Power Panel - Filler Plates	DEH-41125	
Outline Drawings		
FB 1 pole	10091632SH1	
FB 2 pole	10091636SH1	
FB 3 pole	10091641SH1	
Series Ratinas	DET-008	

Trip Curves

FB Breaker Markinas

cULus	UL Fil	e E-11592
HACR	15 to 100A	1, 2, 3 Pole
HID	15 to 50A	1, 2, 3 Pole
NAVAL	15 to 100A	1, 2, 3 Pole
Cu/Al 60/75°C	15 to 100A	1, 2, 3 Pole
Current Limiting	15 to 100A	1, 2, 3 Pole


FB breakers are NOT marked LINE/LOAD and can be reverse fed.

Trip Unit Rated Current (A)	Trip Curve
15	DES-013
20	DES-014
25	DES-015
30	DES-016
35	DES-017
40	DES-018
45	DES-019
50	DES-020
60	DES-021
70	DES-022
80	DES-023
90	DES-024
100	DES-025
Peak Current Curves	DES-030
Peak I ² t Curve	DES-031

Interrupting Ratings

						UL Listed Interrupting Ratings - Symmetrical Amperes (in Thousands) AC Volta		ıge	
Гуре	Ampere Rating	Max AC Voltage	No. Poles	240	277	347	480	600/347	
		-	1	35	35	22	-	-	
BV	15-100	600/347VAC	2	65	-	-	35	22	
			3	65	-	-	35	22	
			1	65	65	25	-	-	
FBN	15-100	600/347VAC	2	150	-	-	65	25	
			3	150	-	-	65	25	
			1	100	100	35	-	-	
FBH	15-100	600/347VAC	2	200	-	-	100	35	
			3	200	-	-	100	35	
			1	100	100	42	-	-	
BL	15-100	600/347VAC	2	200	-	-	150	42	
			3	200	-	-	150	42	

Product Number Structure



ere)

Publications and Reference: See Section 22 for a complete list of additional product-related publications

www.geelectrical.com

BuyLog[®] Catalog